

IPv6 Readiness Report

lohguanlye.com — lohguanlye.com



Scan to verify

Category: Healthcare • Generated: 29 Jul 2026, 04:54 MYT • Last Checked: 04 Jul 2026, 03:38 MYT • Verification ID: 033773cc-8cdc-4380-b403-bcc679b3c09f  
Report generated from National IPv6 Readiness Monitor — <https://ipv6.my6.my>  
Audit trail: <https://ipv6.my6.my/audit/033773cc-8cdc-4380-b403-bcc679b3c09f>

X

Non-Compliant

MGv6C-1.0

28%

No IPv6 Support

IPv6-ONLY READINESS

Website: X Not Ready

DNS: X Not Ready

Email: X Not Ready

| IPv4 ADDRESSES |
|----------------|
| 110.74.172.92  |

Network Information (WHOIS / RDAP)

| IPv4 Network   |                                            |
|----------------|--------------------------------------------|
| Organization   | AIMS-MY-DIA-NET                            |
| Country        | MY                                         |
| ASN            | AS45668                                    |
| ASN Name       | AIMS-MY-NET - AIMS Data Centre Sdn Bhd, MY |
| Network (CIDR) | 110.74.168.0/21                            |

| Web Services (35%) |                              |        |                                                                      | 0 / 8 |
|--------------------|------------------------------|--------|----------------------------------------------------------------------|-------|
| #                  | CHECK                        | RESULT | DETAIL                                                               |       |
| 1                  | AAAA Record                  | FAIL   | No AAAA record found in DNS.                                         |       |
| 2                  | Globally Routable IPv6       | FAIL   | IPv6 address is not globally routable.                               |       |
| 3                  | HTTP over IPv6               | FAIL   | HTTP is not accessible over IPv6.                                    |       |
| 4                  | HTTPS over IPv6              | FAIL   | HTTPS is not accessible over IPv6.                                   |       |
| 5                  | IPv6-Only Reachability       | FAIL   | Site is not reachable when limited to IPv6-only.                     |       |
| 6                  | TLS Certificate Valid (IPv6) | FAIL   | TLS certificate is invalid, expired, or hostname mismatch over IPv6. |       |
| 7                  | Dual-Stack (IPv4 + IPv6)     | FAIL   | Domain is IPv6-only or IPv4-only.                                    |       |
| 8                  | HTTP/3 (QUIC)                | FAIL   | No HTTP/3 support detected.                                          |       |

| DNS & DNSSEC (25%) |                             |        |                                               | 0 / 5 |
|--------------------|-----------------------------|--------|-----------------------------------------------|-------|
| #                  | CHECK                       | RESULT | DETAIL                                        |       |
| 1                  | NS Has AAAA Record          | FAIL   | No nameserver has an AAAA record.             |       |
| 2                  | NS Reachable via IPv6       | FAIL   | No nameserver is reachable over IPv6.         |       |
| 3                  | NS Answers Queries via IPv6 | FAIL   | Nameserver does not answer queries over IPv6. |       |
| 4                  | DNSSEC Validated            | FAIL   | DNSSEC validation failed or zone is unsigned. |       |
| 5                  | Reverse DNS (PTR)           | FAIL   | No PTR record found.                          |       |
| 6                  | DS Record at Parent         | FAIL   | No DS record at parent.                       |       |
| 7                  | RRSIG Valid                 | FAIL   | No valid RRSIG found.                         |       |

| # | CHECK             | RESULT | DETAIL                  |
|---|-------------------|--------|-------------------------|
| 8 | Signing Algorithm | INFO   | No DNSKEY record found. |

| Email Services (25%) |                         |        | 3 / 6                             |
|----------------------|-------------------------|--------|-----------------------------------|
| #                    | CHECK                   | RESULT | DETAIL                            |
| 1                    | MX Record Exists        | PASS   | MX record found.                  |
| 2                    | MX Server Has IPv6      | FAIL   | MX server has no IPv6 address.    |
| 3                    | SMTP Reachable via IPv6 | FAIL   | SMTP is not reachable over IPv6.  |
| 4                    | STARTTLS over IPv6      | FAIL   | STARTTLS not available over IPv6. |
| 5                    | SPF Record              | PASS   | SPF record found.                 |
| 6                    | DKIM Selector           | INFO   | No common DKIM selector found.    |
| 7                    | DMARC Record            | PASS   | DMARC record found.               |

| IPv4 Baseline (15%) |                 |        | 3 / 3                                            |
|---------------------|-----------------|--------|--------------------------------------------------|
| #                   | CHECK           | RESULT | DETAIL                                           |
| 1                   | A Record        | PASS   | 110.74.172.92                                    |
| 2                   | HTTP over IPv4  | PASS   | HTTP (port 80) responds over IPv4 — 44ms TTFB.   |
| 3                   | HTTPS over IPv4 | PASS   | HTTPS (port 443) responds over IPv4 — 27ms TTFB. |

Audit Trail & Evidence Record

|                   |                                                                |
|-------------------|----------------------------------------------------------------|
| Verification ID   | 033773cc-8cdc-4380-b403-bcc679b3c09f                           |
| Domain            | lohguanlye.com                                                 |
| Check Mode        | Manual                                                         |
| Status            | Completed                                                      |
| Started           | 04 Jul 2026, 03:38:50 MYT                                      |
| Finished          | 04 Jul 2026, 03:38:53 MYT                                      |
| Test Node Profile | dual stack                                                     |
| Engine Version    | 2.0.0                                                          |
| MGv6C Version     | 1.0.0                                                          |
| Audit URL         | https://ipv6.my6.my/audit/033773cc-8cdc-4380-b403-bcc679b3c09f |

Integrity Verification

|                      |                                                                  |
|----------------------|------------------------------------------------------------------|
| ✓ INTEGRITY VERIFIED |                                                                  |
| Algorithm            | hmac-sha256-v1                                                   |
| Root Hash            | e66ffe5536f9175dfdde2e578c1ef92004f01b78a6742ab58e96255889e26d5f |
| http_headers         | f4d1372d469786d4df18ee6cb1486de096f15d2c69cfaa8dff899eb9a5175d8  |
| dns_responses        | 3a7ae9fcc29eace1beaf111289f4d758ced5746226f6900c09d8f1d0762c6427 |
| tls_handshake        | 9226a5364cde2c7ac7998b3350c9ae235b778e6d5b34aaf682fc4d0fe948039f |
| connectivity_log     | 1431c4db490c1b6cae6408e09c5a4a88269490258608933dc60b8d3745564b02 |
| dns_resolution_times | 734c028010177b578033e661aeba338dfe668fbce44456da2505c8c8fdd23d85 |

Test Node Identity

|             |                                                                                                        |
|-------------|--------------------------------------------------------------------------------------------------------|
| Os          | Linux srv1440888 6.8.0-124-generic #124-Ubuntu SMP PREEMPT_DYNAMIC Tue May 26 13:00:45 UTC 2026 x86_64 |
| Hostname    | srv1440888                                                                                             |
| Php Version | 8.3.32                                                                                                 |
| Server Ipv4 | 76.13.221.142                                                                                          |
| Server Ipv6 | 2a02:4780:5e:2789::1                                                                                   |

DNS Resolution Performance

Comparison of A (IPv4) vs AAAA (IPv6) query times across resolvers and transports. Shows median (p50) and 95th percentile (p95) of 3 samples per tuple.

| Resolver   | Transport | A p50 (ms) | A p95 (ms) | AAAA p50 (ms) | AAAA p95 (ms) | Delta (ms) |
|------------|-----------|------------|------------|---------------|---------------|------------|
| System     | Default   | 10.61      | 21.77      | 13.31         | 22.39         | +2.7       |
| Google     | IPv4      | 40.19      | 53.78      | 40.36         | 42.44         | +0.2       |
| Google     | IPv6      | 30.05      | 43.91      | 42.42         | 59.9          | +12.4      |
| Cloudflare | IPv4      | 10.94      | 25.69      | 10.87         | 20.35         | -0.1       |
| Cloudflare | IPv6      | 51.77      | 64.66      | 20.32         | 64.91         | -31.5      |



DNS Evidence

A

```
;; Got answer:
;; -->HEADER<<- opcode: QUERY, status: NOERROR, id: 65115
;; flags: qr rd ra; QUERY: 1, ANSWER: 1, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 1232
;; ANSWER SECTION:
lohguanlye.com. 86400 IN A 110.74.172.92
```

DS

```
;; Got answer:
;; -->HEADER<<- opcode: QUERY, status: NOERROR, id: 9210
;; flags: qr rd ra; QUERY: 1, ANSWER: 0, AUTHORITY: 1, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 1232
;; AUTHORITY SECTION:
com. 899 IN SOA a.gtld-servers.net. nstld.verisign-grs.com. 1783107501 1800 900 604800 900
```

MX

```
;; Got answer:
;; -->HEADER<<- opcode: QUERY, status: NOERROR, id: 34162
;; flags: qr rd ra; QUERY: 1, ANSWER: 2, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 1232
;; ANSWER SECTION:
lohguanlye.com. 86400 IN MX 10 mail.lohguanlye.com.
lohguanlye.com. 86400 IN MX 0 mail2.lohguanlye.com.
```

NS

```
;; Got answer:
;; -->HEADER<<- opcode: QUERY, status: NOERROR, id: 20577
;; flags: qr rd ra; QUERY: 1, ANSWER: 3, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 1232
;; ANSWER SECTION:
lohguanlye.com. 86400 IN NS ns1.techbyte.co.
lohguanlye.com. 86400 IN NS ns2.techbyte.co.
lohguanlye.com. 86400 IN NS ns3.techbyte.co.
```

TXT

```
;; Got answer:
;; -->HEADER<<- opcode: QUERY, status: NOERROR, id: 40764
;; flags: qr rd ra; QUERY: 1, ANSWER: 5, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 1232
;; ANSWER SECTION:
lohguanlye.com. 3600 IN TXT "mc86f9jlkrbr67c2q10qi0n2nf"
lohguanlye.com. 3600 IN TXT "MS=ms42810282"
lohguanlye.com. 3600 IN TXT "cj2lb07sv1o945g3nqb6nh9g4p"
lohguanlye.com. 3600 IN TXT "v=spf1 mx a:mail.lohguanlye.com a:mail2.lohguanlye.com ip4:211.24.110.96 ip4:175.143.15.170 -all"
lohguanlye.com. 3600 IN TXT "ldbem1g15q4vo3o41s2dsn9ck"
```

AAAA

```
;; Got answer:
;; -->HEADER<<- opcode: QUERY, status: NOERROR, id: 1358
;; flags: qr rd ra; QUERY: 1, ANSWER: 0, AUTHORITY: 1, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 1232
;; AUTHORITY SECTION:
lohguanlye.com. 3599 IN SOA ns1.techbyte.co. hostmaster.techbyte.com. 2025111802 172800 3600 1728000 86400
```

RRSIG

|                                                                                |
|--------------------------------------------------------------------------------|
| ns1.techbyte.co. hostmaster.techbyte.com. 2025111802 172800 3600 1728000 86400 |
|--------------------------------------------------------------------------------|

DNSKEY

```
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 39101
;; flags: qr rd ra; QUERY: 1, ANSWER: 0, AUTHORITY: 1, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 1232
;; AUTHORITY SECTION:
lohguanlye.com. 3599 IN SOA ns1.techbyte.co. hostmaster.techbyte.com. 2025111802 172800 3600 1728000 86400
```

DNSSEC\_VALIDATION

```
; unsigned answer
lohguanlye.com. 86399 IN SOA ns1.techbyte.co. hostmaster.techbyte.com. 2025111802 172800 3600 1728000 86400
```



## IPV4 Connection

```
depth=2 C = US, ST = Arizona, L = Scottsdale, O = "Starfield Technologies, Inc.", CN = Starfield Root Certificate Authority - G2
verify return:1
depth=1 C = US, ST = Arizona, L = Scottsdale, O = "Starfield Technologies, Inc.", OU = http://certs.starfieldtech.com/repository/, CN = Starfield Secure Certificate
Authority - G2
verify return:1
depth=0 CN = *.lohguanlye.com
verify return:1
CONNECTED(00000010)
---
Certificate chain
 0 s:CN = *.lohguanlye.com
    i:C = US, ST = Arizona, L = Scottsdale, O = "Starfield Technologies, Inc.", OU = http://certs.starfieldtech.com/repository/, CN = Starfield Secure Certificate
Authority - G2
    a:PKEY: rsaEncryption, 2048 (bit); sigalg: RSA-SHA256
    v:NotBefore: Nov 18 07:47:16 2025 GMT; NotAfter: Dec 20 07:47:16 2026 GMT
-----BEGIN CERTIFICATE-----
MIIGvjCCBaagAwIBAgIIIk+vyLY4ImAwDQYJKoZIhvcNAQELBQAweGVCxZCzAjbGNV
BAYTALVTMRAdGyDVQQIEWdBCml6b25hMRMwEQYDVQHEwpTY290dHNkYWxLMSUw
IwYDVQKEExTdGFyZWllbGQGVGVjaG5vbG9naWVzLCBJbmMuMTMwMQYDVQLLEypodHRwOi8vY2VydhHMuc3RhcmZpZXkdGVjaC5jb20vcnVwb3NpdG9yeS8xNDAYBgNV
BAMTKlN0YXJmaWVsZCBTZWN1cmUGQ2VydGlmaWNhdGUgQXV0aG9yaXR5IC0gRzIw
HhcNMjUxMTE4MDc0NzE2WhcNMjYxMjIwMDc0NzE2WjAbMRkwFwYDVQDDBAqLmxv
aGdlYW5seWUuY29tMiIBIjANBgqhkiG9w0BAQEFAAOCAQAMIIBCgKCAQEAyNOt
UNC0wGSUFDP7rcTp+Z0Jkfjkwf9xPaIUUCnVNjvrKhilAPugBCLPTDRjlUWI0oVU
xhh0JIghv+bB4k0s3NF045jdXRJziLiLAGncT7pm+PT9psDb0mFGMH6l6ozxbGF+
iS6PqQHVMj0YwITPd8JaF5y0fnqQL/6cn2sFn26sQLElNxAIL+2wn93UniIvYhnV
mjI8WwyiL520psWSbH08baJZuqoeih9o3sH9jADcwClIo+PTeqONnKoM5sGqJM3
uzAHfUXD9kmffZo4+om+rS47zFXKFp8E0LhKnjjfmijy/5h/cv0qNGlVZME2NIz2
5r2hpLtVAToaLLjIlwIDAQABO4IDWDCCA1QwDAYDVROTAQH/BAlwADAdbgnVHSUE
FJAUBggRBgfEBQCDAQYIKwYBBQUHAIwDgyDYVR0PAQH/BAQDAgwMd0GA1UDhwQ2
MDQwMqAoCc6GLGH0dHA6Ly9jcmmuc3RhcmZpZXkdGVjaC5jb20vc2ZpZzJzMSo5
MjcuY3JsMGMA1UdiARCMFOwCAYGZ4EMAQBIME4GC2CGSAGG/w4BBxcBMDBWPQYI
KWYBBQUHAgeWMwh0dHA6Ly9jZXJ0awZpY2F0ZXMMuc3RhcmZpZXkdGVjaC5jb20v
cmVwb3NpdG9yeS8wgYIGCCSGAUFBwEBBHwydDAQBggRBgfEBQcwAYYYeahR0cdov
L29jc3Auc3RhcmZpZXkdGVjaC5jb20vMEYGCSGAQUFBzACHjpodHRwOi8vY2Vydy
dGlmaWNhdGVzLnN0YXJmaWVsZHRLY2guY29tL3JlcG9zaXRvcnkvc2ZpZ3IuY3J0
MB8GA1UDlwQYMBaAFcvFgWhQJjg90y0svslq2bY9s2zJMCsGA1UDEQQKMCKCECOu
bG9oZ3Vhbmx5ZS5jb22CDmxvaGdlYW5seWUuY29tMB0GA1UDdgQWBWTjqT4QEDZA
ws0t09ufi3SE8neDaTCCAXOGCiSGAQOBlnkCBAIEggFTBIIBAOfNaNHYA1219ENGn
9XFcx+lflwc/+YLJMlp14dcAXMXwmjFaXCAAAGAle6p0wAABAMARzbFAIEatr9o
Pgss+z8740Xwiw2HYUmqbfn0D86JEkhgLYF732ECIFEUt5HnvU7h6dhi+utDgX6
TjlyKklOM/LSmOKwg0e0AHUAIRkskcGzr7IQx9BP59JFFER5CJE0x8qaMTzwr06ce
AsMAAAGAle6rdgAABAMARjBEAiAj+dcSD0M0xmQTps0PN6MTi/3CTBwdfiE
1blZGAigCF6nx3l1+f3JvkUkOpiaWAZkerRWbh0ogFq9yjBdRRYAadgLPOCVixYE
ouRFW8Hd+8lu8ppZzUcKaQWFsMsUwxRY5wAAAQzv7qvFAAAAEAWBHMEUCIQCsNw4i
0jfGLEMoUbzzQPjApqeJuFnYBLD1bkuaohKdqIgPie2DYPItvePnsVA7p8ZH76v
CTmcUgcwRMylZeOPvQEwDQYJKoZIhvcNAQELBQAoggEBANIbepycUztTN90cwThO
RqdKLGCZZziaGJoPo8mkav0ZawGM/P7F/6KBbK92FEbnS0jwaTkwwpLG/Gyw
zc4xi1//8Z/XUs0gab+c3EREKKOPJR66Kr3DW2crIn2Ge5xxu0FDgbUL12ymORD
VzoGSmmily0doIICX7swpnLQdpN0b1A3lbldGDudAzJPc6K70UPPRocysGAZVCB
9SexFvoODp3GL3IRIsR0daiyHMraiJFaQWTCtLFGXpvnm0U028ZFjgUakMZLUqqf
X7il7tsctUTBSa0uZL/ubun5x16Bsot07zmEZHz9N40Ykn4C0kjvY2xGaopVL32v9
B/4=
-----END CERTIFICATE-----
 1 s:C = US, ST = Arizona, L = Scottsdale, O = "Starfield Technologies, Inc.", OU = http://certs.starfieldtech.com/repository/, CN = Starfield Secure Certificate
Authority - G2
    i:C = US, ST = Arizona, L = Scottsdale, O = "Starfield Technologies, Inc.", CN = Starfield Root Certificate Authority - G2
    a:PKEY: rsaEncryption, 2048 (bit); sigalg: RSA-SHA256
    v:NotBefore: May 3 07:00:00 2011 GMT; NotAfter: May 3 07:00:00 2031 GMT
-----BEGIN CERTIFICATE-----
MIIFADCCA+igAwIBAgIBBzANBgqhkiG9w0BAQSFADCBjzELMAKGAlUEBhMcVVMx
EDAObgNVBAgtTB0FYaxpbvmEXezARBgNVBATCTlNjb3R0czRhbGUxJTAtBgNVBAOT
HFNoYXJmaWVsZCBUZWNobm9sb2dpZXMeIEluYy4xMjAwBgNVBAMTKVNoYXJmaWVs
ZCB5bz90IENlcnRpZmJlYXRLEIEFIEdGhvcmloesAtIEcyMB4XDTEwMDUwMzA3MDAw
MFoXDTRxMDUwMzA3MDAwMFowGCYxCzAJBgNVBAYTALVTMRAdGyDVQQIEWdBCml6
b25hMRMwEQYDVQHEwpTY290dHNkYWxLMSUwIwYDVQKEExTdGFyZWllbGQGVGVj
aG5vbG9naWVzLCBJbmMuMTMwMQYDVQLLEypodHRwOi8vY2VydhHMuc3RhcmZpZXkd
GVjaC5jb20vcnVwb3NpdG9yeS8xNDAYBgNVBAMTKlN0YXJmaWVsZCBTZWN1cmUG
Q2VydGlmaWNhdGUgQXV0aG9yaXR5IC0gRzIwHgEEMAOGCCsgGSIb3DQEBAAAAIB
DWAaggEKAAoIBAQDLkgZL7PLGcakgg77pbL9KyUhpgXV0bST2yxctLBxWYR6ayuf
pDS1FuXLzl0LBcCykLtb6Mn3hqN6UEKwxcDYav9ZJ6t21vwLDGu4p64/xFT0tDFE
3ZNWjKRMPXuJJySDm+JXfbfyEH/jHw300YDUxUjHrtQLEAX7J7oobRfpdtZnuTLV
Bv8KJAV+L8YdcmzuimMV33a2etmGtnPp9/UsoQxaXJDgLFU7930GGGjMMyNd+

```

MB5FcSM1/5DYKp2N57CSTTx/KgqT3M0WRmX3YISLdkuRJ3MUKuDq7o8W6o00PnYX  
v32JgIBEQ+ct4EMJddo26K3biTr1XRK0IwSDAgMBAAGjggEsMIIBKDAPBgNVHRMB  
Af8EBTADAQH/MA4GA1UdDwEB/wQEAwIBBjAdBgNVHQ4EFgQUJUWBAFAmOD07LSy+  
zWtZtj2zZmMwHwYDVR0jBBgwFoAUFawyH6fZMH/EfWijYqihzqsHwycw0gYIKwYB  
BQUHAQEELjAsMCoGCCsGAQUFBzABhh5odHRwOi8vb2NzcC5zdGFyZmllbGR0ZWNo  
LmNvbS8wOwYDVR0fBDQwMjAwOzC6gLIYqaHR0cDovL2Nybc5zdGFyZmllbGR0ZWNo  
LmNvbS9zZnJvb3QtZzIuY3JsMEwGA1UdIARFMEwMQYEVROgADA5MDcGCCsGAQUF  
BwIBFiTodHRwczoL2NlcnRzLnN0YXJmaWVsZHRlY2guY29tL3JlCG9zaXRvcnkx  
MA0GCSqGSIb3DQEBChUAA4IBAQBWZcr+8z8KqJ0LGMfeQ2kTNCC+TL94qGuc22pN  
QdvBE+zcMQAiXvcAngzgNGU0+bE6TkjIEoGIXFs+CFN69xpk37hQYcxTUUAps8L0  
rjpf5MqtJsx0YUPL/VemN3D0QyuwLM0S6eFfqhBJt2nk4NAfZKQrzR9voPiEJBj0  
eT2pkb9UGB0JmVQRDVXFJgt5T1ocbv1j2xSapAer+rKluYjdkf5l06Sjeb6JTeHQ  
sPTIFwwKlhr8Cbds4clYVdYoKpBaXako7nv6VrcPuUUSvC33l80dvr7+2kDRUBQ  
7nIMpBKGgc0T0U7EPMp0DDIm8QC3tKai4W56gf0wrHofx1l7  
-----END CERTIFICATE-----  
  
2 s:C = US, ST = Arizona, L = Scottsdale, O = "Starfield Technologies, Inc.", CN = Starfield Root Certificate Authority - G2  
i:C = US, ST = Arizona, L = Scottsdale, O = "Starfield Technologies, Inc.", CN = Starfield Root Certificate Authority - G2  
a:PKY: rsaEncryption, 2048 (bit); sigalg: RSA-SHA256  
v:NotBefore: Sep 1 00:00:00 2009 GMT; NotAfter: Dec 31 23:59:59 2037 GMT  
-----BEGIN CERTIFICATE-----  
MIID3TCCAsWgAwIBAgIBADANBgkqhkiG9w0BAQsFADCBjzELMAKGA1UEBhMCVVMx  
EDA0BgNVBAgTB0FyaXpvcnRzLnN0YXJmaWVsZHRlY2guY29tL3JlCG9zaXRvcnkx  
MA0GCSqGSIb3DQEBChUAA4IBAQBWZcr+8z8KqJ0LGMfeQ2kTNCC+TL94qGuc22pN  
QdvBE+zcMQAiXvcAngzgNGU0+bE6TkjIEoGIXFs+CFN69xpk37hQYcxTUUAps8L0  
rjpf5MqtJsx0YUPL/VemN3D0QyuwLM0S6eFfqhBJt2nk4NAfZKQrzR9voPiEJBj0  
eT2pkb9UGB0JmVQRDVXFJgt5T1ocbv1j2xSapAer+rKluYjdkf5l06Sjeb6JTeHQ  
sPTIFwwKlhr8Cbds4clYVdYoKpBaXako7nv6VrcPuUUSvC33l80dvr7+2kDRUBQ  
7nIMpBKGgc0T0U7EPMp0DDIm8QC3tKai4W56gf0wrHofx1l7  
-----END CERTIFICATE-----

HTTP Response Evidence

IPv4 HTTP (port 80)

|              |               |
|--------------|---------------|
| HTTP Status  | 200           |
| Connected IP | 110.74.172.92 |
| Connect Time | 17.27 ms      |
| TTFB         | 43.9 ms       |
| Total Time   | 43.98 ms      |

Response Headers:

```
{
  "0": "HTTP/1.1 302 Found",
  "1": "Date: Fri, 03 Jul 2026 19:38:53 GMT",
  "2": "Server: Apache",
  "3": "Location: https://lohguanlye.com/",
  "4": "Content-Type: text/html; charset=iso-8859-1",
  "6": "HTTP/2 200",
  "7": "date: Fri, 03 Jul 2026 19:38:53 GMT",
  "8": "server: Apache",
  "9": "x-powered-by: PHP/8.0.30",
  "10": "cache-control: max-age=31536000",
  "11": "content-type: text/html; charset=UTF-8"
}
```

IPv4 HTTPS (port 443)

|              |               |
|--------------|---------------|
| HTTP Status  | 200           |
| Connected IP | 110.74.172.92 |
| Connect Time | 7.79 ms       |
| TTFB         | 27.21 ms      |
| Total Time   | 27.25 ms      |

Response Headers:

```
[
  "HTTP/2 200",
  "date: Fri, 03 Jul 2026 19:38:53 GMT",
  "server: Apache",
  "x-powered-by: PHP/8.0.30",
  "cache-control: max-age=31536000",
  "content-type: text/html; charset=UTF-8"
]
```

Connectivity Test Evidence

| Test                        | Result                |
|-----------------------------|-----------------------|
| TCP Connect IPv4 → port 80  | 302 0.007841 0.016182 |
| TCP Connect IPv4 → port 443 | 200 0.007191 0.029901 |

Test Node Network Evidence

|              |            |
|--------------|------------|
| Node Profile | dual stack |
|--------------|------------|

Egress Connectivity

|             |                      |
|-------------|----------------------|
| IPv4 Egress | 76.13.221.142        |
| IPv6 Egress | 2a02:4780:5e:2789::1 |

Sysctl IPv6 Flags

|                                |   |
|--------------------------------|---|
| net.ipv6.conf.all.disable_ipv6 | 0 |
|--------------------------------|---|

IPv6 Routes

|                                                                           |
|---------------------------------------------------------------------------|
| 2a02:4780:5e::/48 dev eth0 proto kernel metric 256 pref medium            |
| fe80::/64 dev eth0 proto kernel metric 256 pref medium                    |
| default via 2a02:4780:5e::1 dev eth0 proto static metric 1024 pref medium |

IPv4 Routes

|                                                                   |
|-------------------------------------------------------------------|
| default via 76.13.221.254 dev eth0 proto static                   |
| 10.6.101.0/24 dev wg0 scope link                                  |
| 10.6.102.0/24 dev wg0 scope link                                  |
| 76.13.221.0/24 dev eth0 proto kernel scope link src 76.13.221.142 |
| 172.29.0.0/24 dev wg0 scope link                                  |